

Electric Wire Rope Winch - Geared Motor, 3 HP / 5 HP, 3-Phase, Base-Mounted (Imported, Refurbished)

BRAND NOT MENTION

SKU
SM-WINCH-GM-03

CATEGORY
Winch, Hoist & Chain Block



In Stock

PRICE (USD)

\$799.00 \$999.00

* Prices are exclusive of GST and subject to change without notice.

Chat on WhatsApp

Use WhatsApp for pricing and availability with the product details pre-filled.

- ✓ Electric wire rope winch with three-phase geared motor
- ✓ Available in 3 HP and 5 HP
- ✓ Heavy cast-iron multi-stage gear reduction for high pulling torque
- ✓ 440 V, 50/60 Hz — runs directly on Indian supply
- ✓ Rugged wire rope drum in bearing supports
- ✓ Welded steel base frame — ready to bolt down
- ✓ Fully refurbished, repainted and tested
- ✓ For pulling, hoisting, hauling and positioning heavy loads
- ✓ Imported and reconditioned by Standard Machinery

Technical Specifications

Manufacturer	Brand Not Mention
SKU	SM-WINCH-GM-03
Equipment Type	Electric Wire Rope Winch
Drive Layout	Geared Motor with Cast-Iron Reduction
Mounting	Welded steel base frame
Condition	Imported, Refurbished & Tested

Rated Power	3 or 5 HP
Type	3-Phase Induction
Voltage	440 V
Frequency	50 / 60 Hz
Wire Rope	Not included

Product Description

This is an imported, fully refurbished **electric wire rope winch** — a three-phase geared motor driving a wire rope drum through a heavy cast-iron gear reduction. Available with a **3 HP or 5 HP** motor. Cleaned, repainted and base-mounted on a steel frame, it is ready for pulling, hoisting and hauling duty. Supplied by Standard Machinery, Bhavnagar, for buyers across India and export markets.

Overview

The winch uses a sturdy multi-stage gear reduction to turn the drum slowly with strong pulling torque. The heavy cast-iron gearbox and rugged drum make it suitable for demanding pulling, dragging and positioning of heavy loads. The unit is mounted on a welded steel base ready to bolt down. Choose the **3 HP** or **5 HP** version to match your duty.

Construction

- Three-phase geared motor drive (3 HP or 5 HP available)
- Heavy cast-iron multi-stage gear reduction for high pulling torque
- Wire rope drum in bearing supports
- Welded steel base frame for bolt-down mounting
- Fully cleaned, repainted and tested

Power Supply

This is a three-phase winch rated for **440 V, 50/60 Hz**, so it runs directly on Indian supply. Confirm the starter and protection before installation.

Applications

- Pulling and dragging heavy loads
- Hoisting and lowering (with suitable rigging)
- Workshop, yard and fabrication handling
- Construction, marine and salvage winching
- Slow, controlled material positioning

Industries Served

Fabrication and workshops, construction and infrastructure, shipyards and marine, heavy engineering, and material-handling operations.

Why Buy This Winch

- Available in 3 HP and 5 HP to match your load
- Heavy cast-iron gear reduction for strong pulling torque
- Rugged drum and base-mounted — ready to install
- Runs directly on Indian 440 V supply
- Fully refurbished and repainted; strong value versus new

Important — Safety & Verification

- For any lifting or man-riding use, have the line pull / safe working load and wire rope inspected and certified by a competent person before use.

- Match the wire rope, sheaves and controls to your load and application.
- Confirm the starter and protection before installation.

Frequently Asked Questions

What is this winch used for?

Pulling, dragging, hoisting and positioning heavy loads in workshops, yards, construction and marine work.

What motor sizes are available?

Both 3 HP and 5 HP versions are available. Tell us your duty and we will suggest the right one.

Is it ready to mount?

Yes. It is mounted on a welded steel base, ready to bolt down.

Will it run on Indian power?

Yes. It is a 3-phase, 440 V, 50/60 Hz winch, so it runs directly on Indian supply.

How much can it pull?

Line pull depends on the motor rating, gear ratio and rope layer. Share your requirement and we will confirm suitability.

Do you supply across India and for export?

Yes. Standard Machinery supplies pan-India and to export markets including Africa, the Middle East and Southeast Asia.

Interested in this winch? Contact Standard Machinery for the 3 HP or 5 HP option, pulling capacity and rope details.

Compatibility

- **Power supply:** 440 V, 3-phase, 50/60 Hz — runs directly on Indian supply.
- **Motor options:** 3 HP or 5 HP.
- **Starter:** DOL / star-delta / soft starter suitable for the chosen motor rating.
- **Protection:** overload plus phase-failure protection.
- **Rigging:** match wire rope, sheaves and anchoring to your load; verify line pull / SWL before lifting use.
- **Mounting:** bolt the steel base to a rigid, level foundation able to take the pulling reaction.

Standard Machinery

NEAR IMAMWADA OPP SIDI TAKIYA, NATHWALI SHERI, Bhavnagar, Gujarat, 364001, India
Phone: 8866669293
Email: info@standardmachinery.store

GSTIN: 24AIVPB7954RIZA
PAN: AIVPB754R

The information in this datasheet is provided for reference only. Specifications may change without prior notice.

© 2026 Standard Machinery. All rights reserved.